

UNITED STATES

TWELFTH GRADE DRUG USE

	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Percent Currently Using Drug											
Alcohol	49.8	50.0	51.0	52.0	52.7	50.8	51.3	50.1	48.6		
Been Drunk Within Past 30 days	32.7	32.3	32.9	32.9	34.2	31.3	33.2	30.8	28.9	29.9	31.6
Binge Alcohol Use *	29.7	30.0	30.8	31.5	31.3	30.2	29.8	28.2	27.5	27.9	29.8
Cigarettes	29.5	31.4	34.6	35.1	36.5	34.0	33.5	31.2	29.9	27.8	28.3
Smokeless Tobacco	7.8	7.6	8.4	8.8	9.7	9.8	12.2	11.1	10.7	11.4	
Any Illicit Drug	25.7	24.9	25.9	25.6	26.2	24.6	23.8	21.9	18.3	14.4	16.4
Marijuana/Hashish	22.4	21.6	23.1	22.8	23.7	21.9	21.2	19.0	15.5	11.9	13.8
Inhalants	1.7	2.2	2.0	2.3	2.5	2.5	3.2	2.7	2.5	2.3	2.4
Hallucinogens	3.2	2.6	3.5	3.8	3.9	3.5	4.4	3.1	2.7	2.1	2.2
LSD	2.3	1.6	2.7	3.2	3.1	2.5	4.0	2.6	2.4	2.0	1.9
PCP	0.5	0.9	0.8	1.0	0.7	1.3	0.6	0.7	1.0	0.6	0.5
Cocaine (all forms)	2.1	2.1	2.6	2.4	2.3	2.0	1.8	1.5	1.3	1.3	1.4
Crack Cocaine	1.1	1.0	1.1	1.0	0.9	1.0	1.0	0.8	0.7	0.6	0.7
Heroin	0.4	0.7	0.5	0.5	0.5	0.5	0.6	0.3	0.2	0.3	0.2
Other Narcotics	3.0	2.9	2.6	2.4	2.3	2.0	1.8	1.5	1.3	1.2	1.1
Amphetamines	5.6	5.0	4.5	4.6	4.8	4.1	4.0	4.0	3.7	2.8	3.2
Methamphetamine	1.5	1.9	1.7								
Crystal Methamphetamine (Ice)	1.1	1.0	0.8	1.2	0.8	1.1	1.1	0.7	0.6	0.5	0.6
Sedatives							2.3	1.8	1.3	1.2	1.5
Barbiturates	2.8	3.0	2.6	2.6	2.1	2.1	2.2	1.7	1.3	1.1	1.4
Methaqualone							0.4	0.4	0.1	0.4	0.2
Tranquilizers	3.0	2.6	2.5	2.4	1.8	2.0	1.8	1.4	1.2	1.0	1.4
Steroids	1.3	0.8	0.9	1.1	1.0	0.7	0.7	0.9	0.7	0.6	0.8
MDMA (Ecstasy)	2.8	3.6	2.5	1.5	1.6	2.0					

Percent Ever Using Drug

Alcohol	79.7	80.3	80.0	81.4	81.7	79.2	80.7	80.4	80.0		
Ever Been Drunk	63.9	62.3	62.3	62.4	64.2	61.8	63.2	62.9	62.5	63.4	65.4
Cigarettes	61.0	62.5	64.6	65.3	65.4	63.5	64.2	62.0	61.9	61.8	63.1
Smokeless Tobacco	19.7	23.1	23.4	26.2	25.3	29.8	30.9	30.7	31.0	32.4	
Any Illicit Drug	53.9	54.0	54.7	54.1	54.3	50.8	48.4	45.6	42.9	40.7	44.1
Marijuana/Hashish	49.0	48.8	49.7	49.1	49.6	44.9	41.7	38.2	35.3	32.6	36.7
Inhalants	13.0	14.2	15.4	15.2	16.1	16.6	17.4	17.7	17.4	16.6	17.6
Hallucinogens	12.8	13.0	13.7	14.1	15.1	14.0	12.7	11.4	10.9	9.2	9.6
LSD	10.9	11.1	12.2	12.6	13.6	12.6	11.7	10.5	10.3	8.6	8.8
PCP	3.5	3.4	3.4	3.9	3.9	4.0	2.7	2.8	2.9	2.4	2.9
Cocaine (all forms)	8.2	8.6	9.8	9.3	8.7	7.1	6.0	5.9	6.1	6.1	7.8
Crack Cocaine	3.7	3.9	4.6	4.4	3.9	3.3	3.0	3.0	2.6	2.6	3.1
Heroin	1.8	2.4	2.0	2.0	2.1	1.8	1.6	1.2	1.1	1.2	0.9
Other Narcotics	9.9	10.6	10.2	9.8	9.7	8.2	7.2	6.6	6.4	6.1	6.6
Amphetamines	16.2	15.6	16.3	16.4	16.5	15.3	15.3	15.7	15.1	13.9	15.4
Methamphetamine	6.9	7.9	8.2								
Crystal Methamphetamine (Ice)	4.1	4.0	4.8	5.3	4.4	4.4	3.9	3.4	3.1	2.9	3.3
Sedatives							7.6	7.3	6.4	6.1	6.7
Barbiturates	8.7	9.2	8.9	8.7	8.1	7.6	7.4	7.0	6.3	5.5	6.2
Methaqualone							1.2	1.4	0.8	1.6	1.3
Tranquilizers	9.2	8.9	9.3	8.5	7.8	7.2	7.1	6.6	6.4	6.0	7.2
Steroids	3.7	2.5	2.9	2.7	2.4	1.9	2.3	2.4	2.0	2.1	2.1
MDMA (Ecstasy)	11.7	11.0	8.0	5.8	6.9	6.1					

Source: 69

* "Binge" alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.